





FIG. 1








FIG. 3E




FIG. 3G









FIG. 3F





LEGEND


 2 WAY SOLENOID VALVE
 3 WAY SOLENOID VALVE

 VALVE

 CHECK VALVE

 REDUCER


 STRAINER

 GATE VALVE

 FAN

 REGULATOR

 FLEX HOSE

 INSTRUMENT LINE

PLC = PROGRAMMABLE LOGIC
CONTROLLER

LS = LIMIT SWITCH


FV = FLOW VALVE

PI = PRESSURE INDICATOR

NOTE:

1. INSTRUMENT AIR <100 PSIG> REQ'D.

FIG.4B
(LEGEND FOR FIG. 4A)

**FIG.5A**





FIG.5B



(BOILER SIDE VIEW)

FIG.6




FIG. 7A

(BOILER TOP VIEW)




FIG. 7B

(BOILER TOP VIEW)




FIG. 8A




FIG. 8B




FIG.9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21





FIG. 22






FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28